# **Appendix E Sample Label**

Appendix E Sample Label

#### SAMPLE LABEL

#### RESTRICTED USE PESTICIDE

Due to very high toxicity to humans and birds.

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certificate.

#### VIP DEPESTO I/M

#### GALACTOTHION

**ACTIVE INGREDIENTS:** 

galactothion (0,0-diethyl methyl phosphorothiate) 20.9% related isomers 1.1% INERT INGREDIENTS: 78.0% 100.0%

Contains xylene aromatic solvents.

#### KEEP OUT OF REACH OF CHILDREN

## **Spanish** Warning Statement

#### **DANGER PELIGRO**

TOTAL

**POISON** 

Si Usted no entiende la etiqueta, busque a alguien para se la explique a Usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

#### STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic, or hospital immediately. Explain that the victim has been exposed to galactothion and describe his/her condition. After first aid is given take victim to clinic or hospital. If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed -- Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induct vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of contact, immediately flush the skin with plenty of water while removing contaminated clothing and shoes. See doctor immediately. Galactothion is an organophosphate pesticide that inhibits cholinesterase.

## **Product-type** Identification Statement

#### NOTE TO PHYSICIAN

Antidote -- administer atrophine di-sulfate in large doses. TWO to FOUR mg, intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atrophinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Galactothion is a strong cholinesterase inhibitor affecting the central and peripheral nervous system and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

EPA Registration No. 12345-10 VIP Chemical Company Net Contents: 2527 South VIP Drive 55 Gallons EPA Establishment No. 56787-CO-3 Biardspond, MI 22315

Sample Label Appendix E

# PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

#### DANGER:

Fatal if absorbed through skin, fatal if swallowed, and poisonous if inhaled. Do not breathe vapors or spray mist. Do not get on skin or clothing.

#### Personal Protective Equipment Statement

#### **Personal Protective Equipment**

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

#### Applicators and Other Handlers must wear:

Coveralls over long-sleeve shirt & long pants
Chemical-resistant gloves such as barrier laminate
or vitron

Chemical-resistant footwear plus socks

Protective eyewear

<u>Chemical-resistant headgear for overhead</u> <u>exposures</u>

Chemical-resistant apron when cleaning equipment, mixing, or loading

Respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number TC-14G)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **User Safety Recommendations**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

# ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to aquatic invertebrates and wildlife. Birds in treated areas may be killed. Shrimp and other aquatic organisms may be killed at recommended application rates. Do not contaminate water by cleaning of equipment or disposal of wastes.

# PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Not for use or storage in or around the home.

Appendix E Sample Label

# Application Restriction Statements

## State Restrictions Statement

# Reference Statement

# Restrictedentry Statement

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification-to-workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours. The REI is 72 hours in outdoor areas where the average annual rainfall is less than 25 inches a year.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
--coveralls over long-sleeved shirt & long pants
--chemical-resistant gloves such as barrier
laminate or vitron

--chemical-resistant footwear plus socks --protective eyewear

--chemical-resistant headgear

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

#### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly.

**STORAGE:** Do not store below temperature of 0 F.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.